AMENDMENT UNDER 37 C.F.R. § 1.111

U.S. Appln. No. 10/634,916

Attorney Docket No.: Q76870

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (currently amended): An image carrier cartridge comprising:

at least one image carrier rotatably supported; and

exposure means disposed at an exposure position for said image carrier,

wherein said image carrier cartridge being is designed to be detachable relative to the

body of an image forming apparatus, and

wherein said exposure means comprises an organic EL light emitting element array and

an imaging optical system disposed in front of the organic EL light emitting element array, and a

light shielding member for shielding at least ultraviolet rays is provided around said exposure

means.

2. (original): An image carrier cartridge as claimed in claim 1, wherein said light

shielding member has a first light shielding member disposed to cover said organic EL light

emitting clement array.

3. (previously presented): An image carrier cartridge as claimed in claim 1, wherein said

light shielding member has a second light shielding member disposed to cover a part of said

2

AMENDMENT UNDER 37 C.F.R. § 1.111

U.S. Appln. No. 10/634,916

Attorney Docket No.: Q76870

image carrier near said exposure means so as to prevent ultraviolet rays from being incident on

the exposure position of said image carrier.

4. (original): An image carrier cartridge as claimed in claim 3, wherein a developing

means to be disposed at a developing position for said image carrier is detachable relative to the

image carrier cartridge, and said second light shielding member is disposed between a position,

where said developing means is allowed to be in contact with said image carrier, and said

exposure means.

5. (previously presented): An image carrier cartridge as claimed in claim 1, wherein a

cleaning means is provided for cleaning a face, confronting said image carrier, of said imaging

optical system.

6. (previously presented): An image carrier cartridge as claimed in claim 1, wherein an

ultraviolet cutting member for cutting out ultraviolet rays is provided on or near the face,

confronting said image carrier, of said imaging optical system.

7. (original): An image carrier cartridge as claimed in claim 6, wherein said ultraviolet

cutting member is provided on a sliding member which is slidable along the face, confronting

said image carrier, of said imaging optical system and a cleaning member is provided in such a

manner as to touch said ultraviolet cutting member during sliding operation.

3

SUGHRUE MION PLLC

05/10/2005 17:02 FAX 2022937860

AMENDMENT UNDER 37 C.F.R. § 1.111 U.S. Appln. No. 10/634,916 Attorney Docket No.: Q76870

8. (original): An image carrier cartridge as claimed in any one of claims 1 through 7, wherein said image carrier cartridge comprises a plurality of said image carriers and a plurality of said exposure means corresponding to the respective image carriers.

9. (original): An image forming apparatus employing an image carrier cartridge as claimed in any one of claims 1 through 7, and comprising a charging means, an exposure means, a developing means, and a transfer means which are arranged around said image carrier, wherein said image forming apparatus transfers a toner image formed on said image carrier onto a transfer medium.

10. (original): An exposure head to be disposed at an exposure position for an image carrier, said exposure head comprising at least a transparent substrate, an organic EL light emitting element array having light emitting parts formed on said transparent substrate and aligned in lines, and an imaging optical system disposed in front of said organic EL light emitting element array, wherein

light beams outputted from said light emitting parts pass through said transparent substrate and are projected toward said image carrier, said transparent substrate has surfaces being in parallel to each other, one of the surfaces being a surface on which said light emitting parts are formed and the other being a surface from which said light beams are projected, a member covering said transparent substrate is an opaque member, and all of faces of said opaque

AMENDMENT UNDER 37 C.F.R. § 1.111 U.S. Appln. No. 10/634,916

Attorney Docket No.: Q76870

member confronting the end faces of said transparent substrate are composed of light absorbing members.

- 11. (previously presented): An exposure head as claimed in claim 10, wherein the light absorbance of said light absorbing member is set to be larger than the light absorbance of said transparent substrate and to be not larger than 0.5.
- 12. (previously presented): An exposure head as claimed in claim 10, wherein said light absorbing member is black.
- 13. (previously presented): An exposure head as claimed in claim 10, wherein said transparent substrate is optically sealed by said opaque member.
- 14. (previously presented): An exposure head as claimed in claim 10, wherein TFTs for driving said light emitting parts are formed on said transparent substrate.
- 15. (original): An image forming apparatus employing an image carrier cartridge to which an exposure head as claimed in any one of claims 10 through 14 is attached, and comprising a charging means, the exposure means, a developing means, and a transfer means which are arranged around the image carrier, wherein said image forming apparatus transfers a toner image formed on said image carrier onto a transfer medium.

AMENDMENT UNDER 37 C.F.R. § 1.111 U.S. Appln. No. 10/634,916 Attorney Docket No.: Q76870

- 16. (new): The image carrier cartridge according to claim 1, wherein an image carrier from the at least one image carrier and the exposure means are integrally formed.
- 17. (new): The image carrier cartridge according to claim 1, wherein the at least one image carrier and the exposure means are positioned in the image carrier cartridge.
- 18. (new): The image carrier cartridge according to claim 17, wherein the image carrier cartridge with the at least one image carrier and the exposure means is designed to detach from the body of the image forming apparatus.